Contents

Volume 91, Number 1, July 2001

1 Instructions for authors

7 A REVIEW: Spread and prevention of some common viral infections in community facilities and domestic homes *J. Barker, D. Stevens & S.F. Bloomfield*

22 The influence of packaging methodology on the microbiological and fatty acid profiles of refrigerated African catfish fillets *L.E. Anelich, L.C. Hoffman & M.J. Swanepoel*

29 Real-time PCR to measure stress-induced changes in the expression of the genes of the alginate pathway of *Pseudomonas aeruginosa K.J. Edwards & N.A. Saunders*

38 Enumeration of *Campylobacter* in New Zealand recreational and drinking waters *M.G. Savill, J.A. Hudson, A. Ball, J.D. Klena, P. Scholes, R.J. Whyte, R.E. McCormick & D. Jankovic*

47 The effects of surface roughness and type of denture acrylic on biofilm formation by *Streptococcus oralis* in a constant depth film fermentor *T.D. Morgan & M. Wilson*

54 Population dynamics and antagonistic potential of enterococci colonizing the phyllosphere of grasses *E.-M. Ott, T. Müller, M. Müller, C.M.A.P. Franz, A. Ulrich, M. Gabel & W. Seyfarth*

67 The role of non-*Saccharomyces* species in releasing glycosidic bound fraction of grape aroma components – a preliminary study *A. Mendes Ferreira, M.C. Clímaco & A. Mendes Faia*

72 Analysis of *Salmonella enteritidis* strains isolated from food-poisoning cases in Taiwan by pulsed field gel electrophoresis, plasmid profile and phage typing *H.Y. Tsen & J.S. Lin*

80 Possible mechanisms for the relative efficacies of *ortho*-phthalaldehyde and glutaraldehyde against glutaraldehyde-resistant *Mycobacterium chelonae S.E. Walsh, J.-Y. Maillard, A.D. Russell & A.C. Hann*

93 A study of the effect of isothiazolones on the performance and characteristics of a laboratory-scale rotating biological contactor *L. Laopaiboon, R.N. Smith & S.J. Hall*

104 Surface hygiene monitored using a reporter of *fis* in *Escherichia coli A.M. Goulsbra, C. Edwards & M.P. Gallagher*

110 A repeatable laboratory method for testing the efficacy of biocides against toilet bowl biofilms *B. Pitts, A. Willse, G.A. McFeters, M.A. Hamilton, N. Zelver & P.S. Stewart*

118 An integrated method for the enrichment and selective isolation of *Actinokineospora* spp. in soil and plant litter *M. Otoguro, M. Hayakawa, T. Yamazaki & Y. Iimura*

131 An analysis of bacteriocins produced by lactic acid bacteria isolated from malted barley *A. Vaughan, V.G.H. Eijsink, T.F. O'Sullivan, K. O'Hanlon & D. van Sinderen*

139 A novel *in vitro* model system to grow films of oral bacteria for the study of human tooth root surface caries *T.G. Aldsworth & T.W. MacFarlane*

147 Production of growth-inhibiting factors by *Lactobacillus delbrueckii M. van de Guchte, S.D. Ehrlich & E. Maguin*

154 Inhibition of adhesion of food-borne pathogens to Caco-2 cells by *Lactobacillus* strains *K. Todoriki, T. Mukai, S. Sato & T. Toba*

160 Effect of galactose and glucose on the exopolysaccharide production and the activities of biosynthetic enzymes in *Lactobacillus casei* CRL 87 *F. Mozzi, G. Rollán, G. Savoy de Giori & G. Font de Valdez*

168 Microscopic observation of aerobic granulation in sequential aerobic sludge blanket reactor *J.-H. Tay, Q.-S. Liu & Y. Liu*

176 Prediction of growth of *Bacillus megaterium* spores as affected by gamma radiation dose and spore load *F.M. Salih*

182 Screening for the production of extracellular hydrolytic enzymes by non-*Saccharomyces* wine yeasts *M.L.A. Strauss, N.P. Jolly, M.G. Lambrechts & P. van Rensburg*

Volume 91, Number 2, August 2001

191 A REVIEW: Developments in microbiological risk assessment for drinking water *P. Gale*

206 Coinfection with *Campylobacter* species: an epidemiological problem? *J.F. Richardson, J.A. Frost, J.M. Kramer, R.T. Thwaites, F.J. Bolton, D.R.A. Wareing & J.A. Gordon*

212 Disinfection of wooden structures contaminated with *Paenibacillus larvae* subsp. *larvae* spores *W. Dobbelaere, D.C. de Graaf, W. Reybroeck, E. Desmedt, J.E. Peeters & F.J. Jacobs*

217 The ability of *Fla*-typing schemes to discriminate between strains of *Campylobacter jejuni L. Petersen & D.G. Newell*

225 Comparison of pattern recognition techniques for the identification of lactic acid bacteria *I. Dalezios & K.J. Siebert*

237 Modelling bacterial spoilage in cold-filled ready to drink beverages by *Acinetobacter calcoaceticus* and *Gluconobacter oxydans A.S. Battey & D.W. Schaffner*

248 Assessment of resistance towards biocides following the attachment of micro-organisms to, and growth on, surfaces *P. Gilbert, J.R. Das, M.V. Jones & D.G. Allison*

255 *Campylobacter* contamination in French chicken production from farm to consumers. Use of a PCR assay for detection and identification of *Campylobacter jejuni* and *Camp. coli M. Denis, J. Refrégier-Petton, M.-J. Laisney, G. Ermel & G. Salvat*

268 Identification of plant-associated enterococci *T. Müller, A. Ulrich, E.-M. Ott & M. Müller*

279 A phylogenetic analysis of *Bacillus thuringiensis* serovars by RFLP-based ribotyping *K.-B. Joung & J.-C. Côté*

290 Studies on bioemulsifier production by *Acinetobacter* strains isolated from healthy human skin *J.R. Patil & B.A. Chopade*

299 Synthesis of intracellular storage polymers by *Amaricoccus kaplicensis*, a tetrad forming bacterium present in activated sludge *A. Falvo, C. Levantesi, S. Rossetti, R.J. Seviour & V. Tandoi*

306 The influence of dissolved CO_2 concentration on the death kinetics of *Saccharomyces cerevisiae M. Shimoda, J. Cocunubo-Castellanos, H. Kago, M. Miyake, Y. Osajima & I. Hayakawa*

312 Amino acid catabolism in cheese-related bacteria: selection and study of the effects of pH, temperature and NaCl by quadratic response surface methodology *Á.C. Curtin, M. De Angelis, M. Cipriani, M.R. Corbo, P.L.H. McSweeney & M. Gobbetti*

322 Comparision of selective media for the detection of *Vibrio vulnificus* in environmental samples *M. Cerdà-Cuellar, L. Permin, J.L. Larsen & A.R. Blanch*

328 Partial characterization of a bacteriocin produced by *Lactobacillus delbrueckii* subsp. *lactis* UO004, an intestinal isolate with probiotic potential *S. Boris, R. Jiménez-Díaz, J.L. Caso & C. Barbés*

334 Nucleotide sequence and characterization of the cell envelope proteinase plasmid in *Lactococcus lactis* subsp. *cremoris* HP *C. Christensson, C.J. Pillidge, L.J.H. Ward & P.W. O'Toole*

344 Methicillin resistance study in clinical isolates of coagulase-negative staphylococci and determination of their susceptibility to alternative antimicrobial agents *I. Bogado, E. Sutich, A. Krapp, P. Marchiaro, M. Marzi, J. Putero & N. Carrillo*

351 Advances in disinfection testing and modelling *R.J.W. Lambert*

364 Analysis of the role of bacterial endospore cortex structure in resistance properties and demonstration of its conservation amongst species *A. Atrih & S.J. Foster*

373 The optimization of isolation media used in immunomagnetic separation methods for the detection of *Escherichia coli* O157 in foods *I.D. Ogden, N.F. Hepburn & M. MacRae*

Volume 91, Number 3, September 2001

381 A REVIEW: Aliphatic and enantioselective amidases: from hydrolysis to acyl transfer activity *D. Fournand & A. Arnaud*

394 Comparative study of nine *Lactobacillus fermentum* bacteriophages *R. Foschino, C. Picozzi & A. Galli*

404 Conversion of amino acids into aroma compounds by cell-free extracts of *Lactobacillus helveticus N. Klein, M.-B. Maillard, A. Thierry & S. Lortal*

412 Genetic characterization of *Pseudomonas* 'NZI7'– a novel pathogen that results in a brown blotch disease of *Agaricus bisporus S.A.C. Godfrey, J.W. Marshall & J.D. Klena*

421 A simple and sensitive detection system for *Bacillus anthracis* in meat and tissue *H.I. Cheun, S.-I. Makino, M. Watarai, T. Shirahata, I. Uchida & K. Takeshi*

427 *Escherichia coli* O157:H7 becomes resistant to sodium chlorate in pure culture, but not in mixed culture or *in vivo T.R. Callaway, R.C. Anderson, T.J. Anderson, T.L. Poole, K.M. Bischoff, L.F. Kubena & D.J. Nisbet*

435 Detection of anthrax spores in endemic regions of northern Canada *D.C. Dragon, R.P. Rennie & B.T. Elkin*

442 A rat model for dose–response relationships of *Salmonella* Enteritidis infection *A.H. Havelaar, J. Garssen, K. Takumi, M.A. Koedam, J.B. Dufrenne, F.M. van Leusden, L. de la Fonteyne, J.T. Bousema & J.G. Vos*

453 A study of the minimum inhibitory concentration and mode of action of oregano essential oil, thymol and carvacrol *R.J.W. Lambert, P.N. Skandamis, P.J. Coote & G.-J.E. Nychas*

463 Inactivation and injury of pressure-resistant strains of *Escherichia coli* O157 and *Listeria monocytogenes* in fruit juices *S.L. Jordan, C. Pascual, E. Bracey & B.M. Mackey*

470 Exopolysaccharide (EPS) biosynthesis by *Lactobacillus sakei* 0–1: production kinetics, enzyme activities and EPS yields *B. Degeest, B. Janssens & L. De Vuyst*

478 Effect of curing conditions and *Lactobacillus casei* CRL705 on the hydrolysis of meat proteins *S. Fadda, G. Vignolo, M.-C. Aristoy, G. Oliver & F. Toldrá*

488 *Lactobacillus agilis* is an important component of the pigeon crop flora *M. Baele, L.A. Devriese & F. Haesebrouck*

492 Interactions between components of the essential oil of *Melaleuca alternifolia S.D. Cox, C.M. Mann & J.L. Markham*

498 The chitinolytic activity of *Penicillium janthinellum* P9: purification, partial characterization and potential applications *R. Di Giambattista, F. Federici, M. Petruccioli & M. Fenice*

506 Factors affecting production of an antilisterial bacteriocin by *Carnobacterium piscicola* strain A9b in laboratory media and model fish systems *B. Himelbloom, L. Nilsson & L. Gram*

514 Characterization of catalase and superoxide dismutase in *Staphylococcus carnosus* 833 strain *C. Barrière, S. Leroy-Sétrin & R. Talon*

520 Identification of thermophilic and marine bacilli from shallow thermal vents by restriction analysis of their amplified 16S rDNA *D. Caccamo, T.L. Maugeri & C. Gugliandolo*

525 Biofilm penetration and disinfection efficacy of alkaline hypochlorite and chlorosulfamates *P.S. Stewart, J. Rayner, F. Roe & W.M. Rees*

533 Hydrocarbon accumulation by picocyanobacteria from the Arabian Gulf *R.H. Al-Hasan, M. Khanafer, M. Eliyas & S.S. Radwan*

541 The effect of oxygen on the survival of non-*Saccharomyces* yeasts during mixed culture fermentations of grape juice with *Saccharomyces cerevisiae E. Holm Hansen, P. Nissen, P. Sommer, J.C. Nielsen & N. Arneborg*

548 The effect of interfering substances on the disinfection process: a mathematical model *R.J.W. Lambert & M.D. Johnston*

556 Characterization of *Listeria monocytogenes* isolated from production lines of fresh and cold-smoked fish *M. Vaz-Velho, G. Duarte, J. McLauchlin & P. Gibbs*

563 Towards a quantitative risk assessment for BSE in sewage sludge *P. Gale & G. Stanfield*

Volume 91, Number 4, October 2001

571 Preface - Dangerous Pathogens 2000 *L. Baillie & A. Godfree*

572 A history of influenza *C.W. Potter*

580 Vaba, Haiza, Kholera, Foklune or Cholera: in any language still the disease of seven pandemics *D.E.S. Stewart-Tull*

592 The Great Pox that was...Syphilis *A.M. Sefton*

597 The life and works of Louis Pasteur *M. Schwartz*

602 *Coccidioides immitis* as a Select Agent of Bioterrorism *D.M. Dixon*

606 Plague vaccine research and development *E.D. Williamson*

609 The development of new vaccines against *Bacillus anthracis L. Baillie*

614 Preliminary analysis and annotation of the partial genome sequence of *Francisella tularensis* strain Schu 4 *R.G. Prior, L. Klasson, P. Larsson, K. Williams, L. Lindler, A. Sjöstedt, T. Svensson, I. Tamas, B.W. Wren, P.C.F. Oyston, S.G.E. Andersson & R.W. Titball*

621 Dangerous Pathogens 2000: an overview of the international conference *H. Smith*

625 Succession of microbial communities during a biostimulation process as evaluated by DGGE and clone library analyses *A. Ogino, H. Koshikawa, T. Nakahara & H. Uchiyama*

636 Purification and characterization of a bacteriocin-like compound (Lichenin) produced anaerobically by *Bacillus licheniformis* isolated from water buffalo *P. Pattnaik, J.K. Kaushik, S. Grover & V.K. Batish*

646 Biofilms and microbially influenced cuprosolvency in domestic copper plumbing systems *M.M. Critchley, N.J. Cromar, N. McClure & H.J. Fallowfield*

652 Mode of antagonism of *Brevibacillus brevis* against *Botrytis cinerea in vitro S.G. Edwards & B. Seddon*

660 The use of Lenticules™ for the process control of enumeration techniques in food and environmental microbiology *N.F. Lightfoot, I.R. Richardson & J.P. Harford*

668 Microcosm enrichment of 1,3-dichloropropene-degrading soil microbial communities in a compost-amended soil *A.M. Ibekwe, S.K. Papiernik, J. Gan, S.R. Yates, D.E. Crowley & C.-H. Yang*

677 Subcellular distribution of glycanases and related components in *Ruminococcus albus* SY3 and their role in cell adhesion to cellulose *J. Miron, J. Jacobovitch, E.A. Bayer, R. Lamed, M. Morrison & D. Ben-Ghedalia*

686 Use of ribotyping and random amplified polymorphic DNA to differentiate isolates of *Burkholderia andropogonis R.D. Bagsic-Opulencia, A.C. Hayward & M. Fegan*

697 Heat inactivation data for *Mycobacterium avium* subsp. *paratuberculosis: implications for interpretation N. Klijn, A.A.P.M. Herrewegh & P. de Jong*

705 pH-controlled cell release and biomass distribution of alginate-immobilized *Lactococcus lactis* subsp. *lactis G. Klinkenberg, K.Q. Lystad, D.W. Levine & N. Dyrset*

715 Temperature shock, injury and transient sensitivity to nisin in Gram negatives *I.S. Boziaris & M.R. Adams*

725 Adsorption, attachment and biofilm formation among isolates of *Listeria monocytogenes* using model conditions *M.L. Kalmokoff, J.W. Austin, X.-D. Wan, G. Sanders, S. Banerjee & J.M. Farber*

735 Challenge testing of the lactoperoxidase system in pasteurized milk *N.E. Marks, A.S. Grandison & M.J. Lewis*

742 Diversity of pseudomonads isolated from three different plant rhizospheres *S. Rangarajan, P. Loganathan, L.M. Saleena & S. Nair*

750 Persistence of *Escherichia coli, Salmonella choleraesuis*, Aujeszky's Disease virus and Blue Eye Disease virus in ensilages based on the solid fraction of pig faeces *R. Martínez-Gamba, P. Pradal-Roa, F.P. Castrejón, M. Herradora, E. Galván & C. Mercado*

Volume 91, Number 5, November 2001

759 A REVIEW: Foodborne viruses and fresh produce *I.J. Seymour & H. Appleton*

774 Occurrence and molecular genotyping of *Cryptosporidium* spp. in surface waters in Northern Ireland *C.J. Lowery, J.E. Moore, B.C. Millar, K.A.J. McCorry, J. Xu, P.J. Rooney & J.S.G. Dooley*

780 Automated ribotyping and random amplified polymorphic DNA analysis for molecular typing of *Salmonella enteritidis* and *Salmonella typhimurium* strains isolated in Italy *A. De Cesare, G. Manfreda, T.R. Dambaugh, M.E. Guerzoni & A. Franchini*

786 Ultraviolet disinfection with a novel microwave-powered device *D.A. Devine, A.P. Keech, D.J. Wood, R.A. Killington, H. Boyes, B. Doubleday & P.D. Marsh*

795 Behaviour of *Listeria monocytogenes* in packaged fresh mushrooms (*Agaricus bisporus*) *E. González-Fandos, C. Olarte, M. Giménez, S. Sanz & A. Simón*

806 Antimicrobial activity ergokonin A from *Trichoderma longibrachiatum M.F. Vicente, A. Cabello, G. Platas, A. Basilio, M.T. Díez, S. Dreikorn, R.A. Giacobbe, J.C. Onishi, M. Meinz, M.B. Kurtz, M. Rosenbach, J. Thompson, G. Abruzzo, A. Flattery, L. Kong, A. Tsipouras, K.E. Wilson & F. Peláez*

814 Preliminary microbiological investigation of the preparation of two traditional Maori foods (kina and Tiroi) *J.A. Hudson, S. Hasell, R. Whyte & S. Monson*

822 Adsorption of biosurfactant on solid surfaces and consequences regarding the bioadhesion of *Listeria monocytogenes* LO28 *T. Meylheuc, C.J. van Oss & M.-N. Bellon-Fontaine*

833 Evaluation of the efficiency of peracetic acid in the disinfection of sewage effluents *S. Stampi, G. De Luca & F. Zanetti*

839 Characterization of spore appendages from *Bacillus cereus* strains *T. Stalheim & P.E. Granum*

846 Heterofermentative pattern and exopolysaccharide production by *Lactobacillus helveticus* ATCC 15807 in response to environmental pH *M.I. Torino, M.P. Taranto, F. Sesma & G. Font de Valdez*

853 Isolation of an aerobic denitrifying bacterial strain NS-2 from the activated sludge of piggery wastewater treatment systems in Taiwan possessing denitrification under 92% oxygen atmosphere *J.-J. Su, B.-Y. Liu, J. Lin & C.-P. Yang*

861 Technologically important properties of lactic acid bacteria isolates from Beyaz cheese made from raw ewes' milk *F. Durlu-Ozkaya, V. Xanthopoulos, N. Tunail & E. Litopoulou-Tzanetaki*

871 Low molecular weight milk whey components protect *Salmonella* senftenberg 775W against heat by a mechanism involving divalent cations *P. Mañas, R. Pagán, F.J. Sala & S. Condón*

878 A comparative *in vitro* evaluation of the fermentation properties of prebiotic oligosaccharides *C.E. Rycroft, M.R. Jones, G.R. Gibson & R.A. Rastall*

888 Molecular epidemiology of *Listeria monocytogenes* isolates collected from the environment, raw meat and raw products in two poultry- and pork-processing plants *E. Chasseignaux, M.-T. Toquin, C. Ragimbeau, G. Salvat, P. Colin & G. Ermel*

900 Application of Doehlert design to determine the combined effects of temperature, water activity and pH on conidial germination of *Penicillium chrysogenum M. Sautour, A. Rouget, P. Dantigny, C. Divies & M. Bensoussan*

907 Hydrolysis of caseins and formation of hydrophilic and hydrophobic peptides by wild *Lactococcus lactis* strains isolated from raw ewes' milk cheese *P. Morales, E. Fernández-García, P. Gaya, M. Medina & M. Nuñez*

916 Characterization of a broad pH range protease of *Candida caseinolytica M. Poza, T. de Miguel, C. Sieiro & T.G. Villa*

922 Bacteriological quality of skin-moisturizing creams and lotions distributed in a tropical developing country *I.N. Okeke & A. Lamikanra*

929 The recovery of *Arcobacter butzleri* NCTC 12481 from various temperature treatments *C.L. Hilton, B.M. Mackey, A.J. Hargreaves & S.J. Forsythe*

934 A comparison of a monoclonal antibody-based sandwich ELISA and immunogenetic bead selective enrichment for the detection of *Escherichia coli* O157 from bovine faeces *P. Kerr, D. Finlay, F. Thomson-Carter & H.J. Ball*

938 Genotypic and phenotypic heterogeneity of *Streptococcus thermophilus* strains isolated from dairy products *G. Giraffa, A. Paris, L. Valcavi, M. Gatti & E. Neviani*

Volume 91, Number 6, December 2001

945 A REVIEW: Enteric viruses in the aquatic environment *A.P. Wyn-Jones & J. Sellwood*

963 Evaluation of potential biocontrol rhizobacteria from different host plants of *Verticillium dahliae* Kleb *G. Berg, A. Fritze, N. Roskot & K. Smalla*

972 The relationships and susceptibilties of some industrial, laboratory and clinical isolates of *Pseudomonas aeruginosa* to some antibiotics and biocides *R.J.W. Lambert, J. Joynson & B. Forbes*

985 Increased resistance of mice to *Salmonella enterica serovar Typhimurium* infection by synbiotic administration of Bifidobacteria and transgalactosylated oligosaccharides *T. Asahara, K. Nomoto, K. Shimizu, M. Watanuki & R. Tanaka*

997 The Gram-positive tonsillar and nasal flora of piglets before and after weaning *M. Baele, K. Chiers, L.A. Devriese, H.E. Smith, H.J. Wisselink, M. Vaneechoutte & F. Haesebrouck*

1004 Detection of *Escherichia coli* O157:H7 in soil and water using multiplex PCR *G.R. Campbell, J. Prosser, A. Glover & K. Killham*

1011 Effect of oregano essential oil on microbiological and physico-chemical attributes of minced meat stored in air and modified atmospheres *P.N. Skandamis & G.-J.E. Nychas*

1023 Development of a minimal chemically-defined medium for the exponential growth of *Streptococcus thermophilus* . *Letort & V. Juillard*

1030 Simultaneous detection of *Cryptosporidium parvum* and *Giardia* in sewage sludge by IC-PCR *R. Rimhanen-Finne, P. Ronkainen & M.-L. Hänninen*

1036 The effect of summer and winter seasons on the survival of *Salmonella typhimurium* and indicator micro-organisms during the storage of solid fraction of pig slurry *I. Placha, J. Venglovsky, N. Sasáková & I.F. Svoboda*

1044 A 3·1-kb genomic fragment of *Bacillus subtilis* encodes the protein inhibiting growth of *Xanthomonas oryzae* pv. *oryzae D. Lin, L.-J. Qu, H. Gu & Z. Chen*

1051 Analysis of the killing of spores of *Bacillus subtilis* by a new disinfectant, Sterilox® *C.A. Loshon, E. Melly, B. Setlow & P. Setlow*

1059 Evaluation of microencapsulation of a *Bifidobacterium* strain with starch as an approach to prolonging viability during storage *K. O'Riordan, D. Andrews, K. Buckle & P. Conway*

1067 Cloning and expression analysis of the 28 kDa protein from *Lactobacillus delbrueckii* subsp. *lactis* ATCC 4797 hypothesized to influence lactacin B production *R.L. Ulrich & T.A. Hughes*

1074 Occurrence of *Bacillus sporothermodurans* and other aerobic spore-forming species in feed concentrate for dairy cattle *M.J.M. Vaerewijck, P. De Vos, L. Lebbe, P. Scheldeman, B. Hoste & M. Heyndrickx*

1085 Heat and salt stress in the food pathogen *Bacillus cereus* *N. Browne & B.C.A. Dowds*

1095 Resuscitation rate in different enterococcal species in the viable but non-culturable state *M.M. Lleò, B. Bonato, M.C. Tafi, C. Signoretto, M. Boaretti & P. Canepari*

1103 Usefulness of epifluorescence for quantitative analysis of lactobacilli in probiotic feed *M. Bernardeau, J.P. Vernoux & M. Gueguen*

1110 The regulatory effects of whey retentate from Bifidobacteria fermented milk on the microbiota of the Simulator of the Human Intestinal Microbial Ecosystem (SHIME) *A. Tir Touil Meddah, A. Yazourh, I. Desmet, B. Risbourg, W. Verstraete & M.B. Romond*

1118 Synthesis and evaluation of novel fluorogenic substrates for the detection of bacterial β-galactosidase *K.F. Chilvers, J.D. Perry, A.L. James & R.H. Reed*

1131 Growth optimization of *Pediococcus damnosus* NCFB 1832 and the influence of pH and nutrients on the production of pediocin PD-1 *H.A. Nel, R. Bauer, E.J. Vandamme & L.M.T. Dicks*

1139 Index